

## **Certificate of Analysis**

Labstat

Matrix: Infused Product

Sample:KN40301003-001 Harvest/Lot ID: HYDRATE 24001

Batch#: HYDRATE 24001 Batch Date: 02/24/24

Sample Size Received: 7 gram Retail Product Size: 8 gram

> Ordered: 02/24/24 Sampled: 02/24/24 Completed: 03/12/24

## Mar 12, 2024 | Primary Jane LLC

77 Derry St #275 Hudson, NH, 03051, US

PRODUCT IMAGE

SAFETY RESULTS







PASSED





Microbials



PASSED



PASSED



PASSED





Water Activity





**PASSED** 

**Potency** 

0.0233%

**Total THC** 



0.3444%



**Total Cannabinoids** 

							/							
	CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
%	ND	< 0.01	ND	ND	0.0214	0.3444	ND	ND	ND	0.0233	ND	ND	< 0.01	ND
mg/g	ND	< 0.1	ND	ND	0.214	3.444	ND	ND	ND	0.233	ND	ND	<0.1	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 57, 3050				Weight: 0.2011g			ction date: 1/24 10:01:51			717	71 /1	Extracted by: 2990		

Analysis Method: SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100. THCa: ± 0.124. TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed Analytical Batch: KN004590POT Instrument Used: E-SHI-008

Reviewed On: 03/06/24 16:52:58 Batch Date: 03/01/24 08:55:55

Running on: N/A

Dilution: N/A
Reagent: 121823.01; 013024.R15; 021524.R03; 022624.R02; 021224.01

Consumables: 301011028; 22/04/01; 3254282; B9291.100; 231201-059-A; 1008702218; 947.100; GD220016; H110738-34; 6121219; IV250.100

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/12/24



Labstat

Matrix: Infused Product



**PASSED** 

# **Certificate of Analysis**

Sample: KN40301003-001

Harvest/Lot ID: HYDRATE 24001 Batch#: HYDRATE 24001 Sampled: 02/24/24

Ordered: 02/24/24

Sample Size Received: 7 gram Completed: 03/12/24 Expires: 03/12/25 Page 2 of 5



**Primary Jane LLC** 

77 Derry St #275 Hudson, NH, 03051, US

**Telephone:** (310) 903-1212

Email: jeff@primaryjane.com

### **Pesticides**

|--|

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND
CYPERMETHRIN	0.01	ppm	1	PASS	ND
DAMINOZIDE	0.006	ppm	0.1	PASS	ND
DIAZANON	0.006	ppm	0.2	PASS	ND
DICHLORVOS	0.014	ppm	0.1	PASS	ND
DIMETHOATE	0.009	ppm	0.1	PASS	ND
DIMETHOMORPH	0.009	ppm	3	PASS	ND
ETHOPROPHOS	0.007		0.1	PASS	ND
ETOFENPROX	0.009	ppm	0.1	PASS	ND
ETOXAZOLE	0.007	ppm	1.5	PASS	ND
FENHEXAMID	0.005	ppm	3	PASS	ND
FENOXYCARB	0.007		0.1	PASS	ND
FENPYROXIMATE	0.006		2	PASS	ND
FIPRONIL	0.008		0.1	PASS	ND
FLONICAMID	0.014		2	PASS	ND
FLUDIOXONIL	0.011	P. P.	3	PASS	ND
HEXYTHIAZOX	0.009		2	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.005		3	PASS	ND
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND
MALATHION	0.009		2	PASS	ND
METALAXYL	0.008		3	PASS	ND
METHIOCARB	0.008	1.1.	0.1	PASS	ND
METHOMYL	0.009		0.1	PASS	ND
MEVINPHOS	0.001		0.1	PASS	ND
MYCLOBUTANIL	0.001		3	PASS	ND
NALED	0.023		0.5	PASS	ND
OXAMYL	0.009		0.5	PASS	ND
PACLOBUTRAZOL	0.003		0.1	PASS	ND
PERMETHRINS	0.007		1	PASS	ND
PHOSMET	0.009		0.2	PASS	ND ND
1 11031-121	0.003	PPIII	0.2		IND

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
PIPERONYL BUTOXIDE		0.006	ppm	3	PASS	ND
PRALLETHRIN		0.008	ppm	0.4	PASS	ND
PROPICONAZOLE		0.007	ppm	1	PASS	ND
PROPOXUR		0.008	ppm	0.1	PASS	ND
PYRETHRINS		0.002	ppm	1	PASS	ND
PYRIDABEN		0.007	ppm	3	PASS	ND
SPINETORAM		0.004	ppm	3	PASS	ND
SPIROMESIFEN		0.009	ppm	3	PASS	ND
SPIROTETRAMAT		0.009	ppm	3	PASS	ND
SPIROXAMINE		0.006	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.009	ppm	1	PASS	ND
THIACLOPRID		0.008	ppm	0.1	PASS	ND
THIAMETHOXAM		0.009	ppm	1	PASS	ND
TOTAL SPINOSAD		0.009	ppm	3	PASS	ND
TRIFLOXYSTROBIN		0.009	ppm	3	PASS	ND
Analyzed by: 2803	<b>Weight:</b> 1.0006g	Extraction d 03/12/24 10:			Extracted 2803	by:

Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN Analytical Batch: KN004621PES

Instrument Used : E-SHI-125 Running on : N/A

Dilution : N/A

Reagent : 011224.R15; 021624.R20; 021624.R21

Consumables : 301011028; 264830; 22/04/01; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; 1350331; H110738-34; 230315

Reviewed On: 03/12/24 11:36:43

Batch Date: 03/12/24 10:10:44

Pipette: E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-118

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Sue Ferguson** 

Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/12/24





Matrix: Infused Product



**Certificate of Analysis** 

**PASSED** 

**Primary Jane LLC** 

77 Derry St #275 Hudson, NH, 03051, US **Telephone:** (310) 903-1212 Email: jeff@primaryjane.com Sample: KN40301003-001 Harvest/Lot ID: HYDRATE 24001

Batch#: HYDRATE 24001 Sampled: 02/24/24 Ordered: 02/24/24

Sample Size Received: 7 gram

Reviewed On: 03/09/24 17:24:47 Batch Date: 03/07/24 11:25:25

Completed: 03/12/24 Expires: 03/12/25

Page 3 of 5



### **Residual Solvents**

**PASSED** 

PROPANE	100				Result
	TOO	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1.1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 3050 Weight: 0.0214g Extracted by: 03/07/24 11:28:56

Analysis Method: SOP.T.40.041.TN Analytical Batch : KN004608SOL Instrument Used: E-SHI-106 Running on : N/A

Dilution: N/A Reagent: N/A

Consumables: R2017.099; G201.100

Pipette: N/A

 $Residual\ solvents\ analysis\ is\ performed\ using\ Gas\ Chromatography\ /\ Mass\ Spectrometry.\ *Based\ on\ FL\ action\ limits.$ 

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Sue Ferguson** 

Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/12/24



Labstat

Matrix: Infused Product



## **Certificate of Analysis**

PASSED

**Primary Jane LLC** 

77 Derry St #275 Hudson, NH, 03051, US **Telephone:** (310) 903-1212 Email: jeff@primaryjane.com

Sample: KN40301003-001 Harvest/Lot ID: HYDRATE 24001

Batch#: HYDRATE 24001 Sampled: 02/24/24 Ordered: 02/24/24

Sample Size Received: 7 gram Completed: 03/12/24 Expires: 03/12/25 Page 4 of 5



### **Microbial**



### **Mycotoxins**

### **PASSED**

Analyte ESCHERICHIA COLI SHIGELLA SPP		LOD Units	Result	Pass / Fail	Action Level
			Not Present	PASS	
SALMONELLA S	PECIFIC GENE		Not Present	PASS	
ASPERGILLUS F	LAVUS		Not Present	PASS	
ASPERGILLUS F	UMIGATUS		Not Present	PASS	
ASPERGILLUS N	NIGER		Not Present	PASS	
ASPERGILLUS T	TERREUS		Not Present	PASS	
Analyzed by: 2837	Weight: 1.0024g	Extraction date: 03/07/24 11:42:01		Extracted by 2837	r: /

Analysis Method: SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU

Analytical Batch : KN004607MIC Reviewed On: 03/08/24 11:49:35 Instrument Used: E-HEW-069 Batch Date: 03/07/24 10:40:59 Running on : N/A

Reagent: 010924.02; 111523.04; 042723.04

Consumables: 264830; GD220016; 1350331; 22/04/01; 20221223; 10RWL0415W15; 264041; 251760; 242429; 230612634D; P7528255; 41218-146C4-146C; 93825; n/a; 247040; 280670432

Pipette: E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Analyzed by: Weight: Extraction date: Extracted by: 1.0006g 03/12/24 10:17:04

Analysis Method: SOP.T.30.101.TN, SOP.T.40.101.TN

Analytical Batch: KN004622MYC Reviewed On: 03/12/24 11:43:03 Instrument Used: E-SHI-125 Batch Date: 03/12/24 10:17:47 Running on: N/A

Dilution: N/A

Reagent: 011224.R15; 021624.R20; 021624.R21

Consumables : 301011028; 264830; 22(04/01; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; 1350331; H110738-34; 230315

**Pipette :** E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-118

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycrotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. \*Based on FL action limits.



### **Heavy Metals**

### **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS		0.02	ppm	ND	PASS	1.5
CADMIUM-CD		0.02	ppm	ND	PASS	0.5
MERCURY-HG		0.02	ppm	ND	PASS	3
LEAD-PB		0.02	ppm	0.0581	PASS	0.5
Analyzed by:	Weight:	Extraction date			xtracted	by:

Analysis Method: SOP.T.30.082, SOP.T.40.082.TN

Analytical Batch : KN004604HEA Instrument Used : E-AGI-084 Running on : N/A

Reviewed On: 03/08/24 17:28:58 Batch Date: 03/07/24 09:11:37

Reagent: 121823.01; 100422.02; 021424.R01; 020824.R01; 110323.06; 030724.R01; 020624.R04; 010424.R01; 011224.R16; 030624.R02; 030624.R03; 030624.R04; 031623.R02; 010224.R05: 011824.R06

Consumables: 264830; 1008702218; GD220016; 1350331; 6121219; n/a; 221200; A260422A;

A30701833

Pipette: E-EPP-081; E-EPP-082

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. \*Based on FL action

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/12/24





Matrix: Infused Product



**PASSED** 

## **Certificate of Analysis**

Reviewed On: 03/07/24 14:39:38

Batch Date: 03/07/24 10:23:54

**Primary Jane LLC** 

77 Derry St #275 Hudson, NH, 03051, US **Telephone:** (310) 903-1212 Email: jeff@primaryjane.com Sample: KN40301003-001 Harvest/Lot ID: HYDRATE 24001

Batch#: HYDRATE 24001 Sampled: 02/24/24 Ordered: 02/24/24

Sample Size Received: 7 gram Completed: 03/12/24 Expires: 03/12/25 Page 5 of 5



### Filth/Foreign **Material**

**PASSED** 

Analyte Units Result **Action Level** Filth and Foreign Material PASS 1 % **Extraction date:** Analyzed by: Weight: Extracted by: 03/07/24 14:39:28 0.5084q

Analysis Method: SOP.T.40.090 Analytical Batch : KN004605FIL Instrument Used: E-AMS-138

Running on : N/A

Reagent: N/A Consumables: 6850215; GD220016; 1350331

Pipette: N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Sue Ferguson** 

Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/12/24